CS SERIES Steel body

FOR THOSE WHO KNOW, AND WON'T SETTLE FOR LESS.



WWW.RSTRUCKBODY.COM

CS SERIES

Steel Body



AVAILABLE OPTIONS

- Various Side Heights Side Graphics Radius Clean out Plate Sloped Tailgate Angle Around Top of Body Lift Axles Vertical Side Bracing Offset Bulkhead Tubing Top Rail Additional Lighting Chrome Exhaust S-Pipe **Body Overlays** Aluminum Control Tower Sloped Tailgate Wing Latches on Tailgate Sealed Tailgate Various Tarping Systems Various Toolboxes Wood, Steel, or Aluminum Boards Air High Lift Tailgate Stoker Doors **Tapered Sides** Asphalt Tapered Rear Aluminum Hydraulic Tanks (side or front) Various Material Options Offered (including HardOx AR450)
- Bolt On Weld On or Pipe Apron Options
- Inverted and Non-inverted Trunnion Mount Cylinder



STANDARD SPECIFICATIONS

Various body lengths from 12' Side heights from 30" to 64" 12" side to floor radius for improved dumping Formed trapezoid longsills with rubber cushion 96" wide one piece floor with 60" wide flat center 3/16" AR450 Hardox steel floor 3/16" material shedding formed boxed top rail 10 gauge extra high tensile steel bulkhead 10 gauge high tensile steel sides and tailgate Fully welded steel construction throughout Full length horizontal side braces Air operated tailgate latching system Recessed FMVSS108 L.E.D. lighting including ICC stop/tail/turn lights in rear posts Front mount telescopic hoist sized for body lengths Cab shield with underside bracing Your choice of body color using DuPont Imron Elite paint Aluminum console for in cab controls Crossmemberless understructure Durable 3 panel tailgate using two horizontal braces

Due To our Company's Continued Product Improvement Program, Specifications Are Subject To Change Without Notice.



shown with options

he Godwin

R/S-Godwin Truck Body Co., LLC. 5168 South U.S. Highway 23 Ivel Kentucky 41642 1-800-826-7413 606-874-2151

Body shown with options

2/14/12

SCS SERIES STEEL BODY

FOR THOSE WHO KNOW, AND WON'T SETTLE FOR LESS.



WWW.RSTRUCKBODY.COM

.......

SCS SERIES





The SCS body reduces blind spots behind the cab with minimal reduction in capacity. The externally mounted hoist eliminates the need for a space eating hoist well. This also aids with hoist, valve, tank, and hose maintenance.

Body shown with options

AVAILABLE OPTIONS

Various Side HeightsSide GrapPressed V side bracingSloped TalRadius Clean out PlateLift AxlesAngle Around Top of BodyVertical SiOffset BulkheadAdditionalTubing Top RailBody OverChrome Exhaust S-PipeSloped TalAluminum Control TowerSealed TalVarious Tarping SystemsAir High LWood, Steel, or Aluminum BoardsTapered SPlasma cut Logo in hoist Trunion FrameStoker DoAluminum Hydraulic Tanks (side or front)Stoker Do

Side Graphics Sloped Tailgate Lift Axles Vertical Side Bracing Additional Lighting Body Overlays Sloped Tailgate Sealed Tailgate Various Toolboxes Air High Lift Tailgate Tapered Sides Cab Protector Stoker Doors

Various Material Options Offered (including HardOx AR450) Bolt On Weld On or Pipe Apron Options

Inverted and Non-inverted Trunnion Mount Cylinder



STANDARD SPECIFICATIONS

Various body lengths from 12' Side heights from 30" to 64" 12" side to floor radius for improved dumping Formed trapezoid longsills with rubber cushion 96" wide one piece floor with 60" wide flat center 3/16" AR450 Hardox steel floor 3/16" material shedding formed boxed top rail 3/16" extra high tensile steel bulkhead 3/16" extra high tensile steel sides and tailgate Fully welded steel construction throughout Full length horizontal side braces Air operated tailgate latching system Recessed FMVSS108 L.E.D. lighting including ICC stop/tail/turn lights in rear posts Front mount telescopic hoist sized for body lengths Smooth sides (no bracing) Your choice of body color using PPG paint Aluminum console for in cab controls Crossmemberless understructure Durable 3 panel tailgate using two horizontal braces

Due To our Company's Continued Product Improvement Program, Specifications Are Subject To Change Without Notice.



Body shown with options

R/S-Godwin Truck Body Co., LLC. 5168 South U.S. Highway 23 Ivel Kentucky 41642 1-800-826-7413 606-874-2151

1/28/19